

51.2V 100Ah/200Ah

WALL MOUNT BATTERY



Wall Mount Battery 51.2V 100Ah/200Ah



Features

- Safety/Reliable LFP chemistry
- Intelligent BMS built-in compatible to major inverter brands.
- Compact size for easy installation
- Diverse model options and expanded.
- More than 10 years service life

Application Scenario








Backup



Commercial





Wall Mount Battery 51.2V 100Ah

Parameters

Battery type	LFP-Lithium iron phosphate-LiFePO4
Nominal voltage	51.2V (16 cells)
Rated Capacity	100Ah
Rated Energy	5.12 KWh
Size	W450*H604*D195 mm
Weight	55 KG
Charge Limit voltage	57.6 V
Discharge Limit voltage	43.2 V
Standard charge current	20A
Max charge current	80A
Standard Discharge current	50A
Max Discharge current	100A
Operation Temperature	0 − 45 ℃
BMS function	Battery management system (BMS)Built in, voltage and current protection for over-charge and discharge, support CAN/RS485/RS232 communication, History records.
Inverter compatible	Victron, Deye, Growatt etc.



Wall Mount Battery 51.2V 200Ah

Parameters

Battery type	LFP-Lithium iron phosphate-LiFePO4
Nominal voltage	51.2V (16 cells)
Rated Capacity	200Ah
Rated Energy	10.24KWh
Size	W470*H605*D195 mm
Weight	85 KG
Charge Limit voltage	57.6 V
Discharge Limit voltage	43.2 V
Standard charge current	20A
Max charge current	80A
Standard Discharge current	50A
Max Discharge current	100A
Operation Temperature	0 – 45 ℃
BMS function	Battery management system (BMS)Built in, voltage and current protection for over-charge and discharge, support CAN/RS485/RS232 communication, History records.
Inverter compatible	Victron, Deye, Growatt etc.